



Custom Splash Guards
Hot Stamping
Diecutting
Snow Deflectors



Product Catalog

www.duraguardinc.com
1-888-215-6180



A Rich History Nestled in the Hills of East Tennessee

DuraGuard was founded in 1997 in Newport, TN which is nestled in the Great Smoky Mountains of East Tennessee. DuraGuard has always been a small family owned business. DuraGuard began operations by hot stamping thermoplastic rubber and polyethylene mud flaps for the heavy duty truck market. The largest product that DuraGuard offers is the Extruded Thermoplastic Rubber which is produced from around 70% recycled tires and once the sheet is extruded it is 100% recyclable. The process of stamping snow deflectors and die cutting soon followed with the move to our current facility in 2002. We at DuraGuard like to say we are a custom job shop for rubber and plastic sheeting.

Here at DuraGuard the employees strive to keep a friendly atmosphere and we believe that is what has kept us growing throughout the years. We offer friendly service at a competitive price, and we strive to offer the fastest service in the industry. The addition of new customers and applications to our product line keeps us moving towards the future.

Table of Contents

Company History	2
Splash Guard Materials	3
Mudflap Patterns & Custom Die Cutting	4
DuraRubb Splash Guards	5-6
DuraRubb Plus Splash Guards	7
DuraPoly Splash Guards	8-9
Custom Color Flaps and Accessories	10
Snow Deflectors & Mounting Brackets	11
Rolled Material and Matting	12
Rubber & Poly Cutting Edges	13
Printing Colors & Miscellaneous Information	14
Sample Printing Plates	15

Orders

All purchase orders must be received in writing. Orders will be processed in the order that they are received. Lead times for new orders are within 2-3 weeks, repeat orders are within 7 business days.

Warranty

DuraGuard Inc will warranty all products from defect of workmanship. The warranty only covers DuraGuard Inc. products. DuraGuard Inc. is not responsible for alterations or installations of its products, since these products are used in variable conditions.

Returns

Plain flaps or standard products: DuraGuard Inc will accept return of plain flaps with prior approval from the customer service department. The customer will be responsible for all return freight charges.

Printed flaps or custom products: DuraGuard Inc will not accept returns on custom flaps or products, if DuraGuard Inc is not responsible for the return. If DuraGuard Inc is responsible, we will cover all freight charges on the return. The return will not be accepted without a RA# from the customer service department.

Rubber Material

DuraGuard rubber mudflap rubber products is a extruded thermoplastic elastomer consisting mostly of recycled tires. The rubber material consists of 70% recycled material, but is 100% recyclable. All of our rubber products can be printed and die cut to to your specific needs. There are over seven blends of material available to meet your specification or application. Custom blending is also available.

Product Features

Can be Imprinted

Durable

Flexibility

UV Resistant

Poly Material

DuraGuard offers many different types of poly material for different applications. The material used in mudflaps is a blend of Low Density Polyethylene. Along with Low Density, we stock High Density and High Molecular Weight.

Product Features

Can be Imprinted

Durable

Flexibility

UV Resistant

Applications

Splash Guards

Matting

Agriculture

Noise Reduction

Gaskets

Deflectors

Liners


Fenders



Mudflap Patterns



This is the matte side of the material that we offer. It is the side that will contain the imprint.



This pattern is the GRS pattern, which is on the back side of the flap, for anti spray purposes, to channel the water back to the road surface. Available in the 1/4" DuraRub and DuraPoly.




This is our smooth pattern for the back side of 3/16" DuraPoly. It is also available on some of the heavy duty DuraRub flaps.



The SB pattern is an anti spray pattern with a one inch anti-sail stabilizing bar running the entire length on each side of the flap. Available in 5/16" and 1/2" DuraRub and 5/16" DuraPoly.

Custom Die Cutting

If you have an item that is rubber or plastic that is cut to a certain configuration, we can be your one-stop shop for the material and die cutting services.




DuraRubb

1/4" BLACK RUBBER FLAPS


LIGHT DUTY RUBBER WITH SPRAY GROOVES

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
1/4" Rubber/GRS	261924R	19" x 24"	3.38
1/4" Rubber/GRS	262418R	24" x 18"	3.2
1/4" Rubber/GRS	262424R	24" x 24"	4.27
1/4" Rubber/GRS	262430R	24" x 30"	5.3
1/4" Rubber/GRS	262436R	24" x 36"	6.4

Any size available upon request.



GRS GROOVE PATTERN 1/4" THICKNESS






DuraRubb

5/16" BLACK RUBBER FLAPS

MEDIUM-DUTY RUBBER WITH STABILIZER BARS

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
5/16" Rubber/SB	322418R	24" x 18"	4.2
5/16" Rubber/SB	322424R	24" x 24"	5.6
5/16" Rubber/SB	322430R	24" x 30"	7
5/16" Rubber/SB	322436R	24" x 36"	8.4

Any size available upon request, only available in 24" width to have the stabilizer bars.



SIDE BAR GROOVE PATTERN 5/16" THICKNESS




DuraRubb

1/2" BLACK RUBBER FLAPS

HEAVY-DUTY RUBBER WITH STABILIZER BARS

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
1/2" Rubber/SB	422424R	24" x 24"	7.6
1/2" Rubber/SB	422430R	24" x 24"	9.5
1/2" Rubber/SB	422436R	24" x 36"	11.4
1/2" Rubber/SB	422442R	24" x 42"	13.4

Any size available upon request, only available in 24" width to have the stabilizer bars.



SIDE BAR GROOVE PATTERN 1/2" THICKNESS

DuraRubb Plus / 5/16" BLACK RUBBER FLAPS / BLENDED RUBBER WITH STABILIZER BARS


Responding to many requests, DuraGuard has designed a more flexible flap for the dump body industry. We put our extensive knowledge of extruded rubber to work and produced a flap to meet the needs of the dump body industry that can be supplied with our lightning-fast response time. The material is a blended rubber similar to our standard DuraRubb product line and achieves the specification of a more pliable and flexible flap.

Product Features

Extruded	100% Recycled	Custom Printing Available
Flexible Material	Short Lead Time	

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
5/16" Rubber/SB	MD2418	24" x 18"	4.2
5/16" Rubber/SB	MD2424	24" x 24"	5.6
5/16" Rubber/SB	MD2430	24" x 30"	7
5/16" Rubber/SB	MD2436	24" x 36"	8.4

Any size available upon request, only available in 24" width to have the stabilizer bars.




SIDE BAR GROOVE PATTERN 5/16" THICKNESS

DuraRubb Plus / 1/2" BLACK RUBBER FLAPS / BLENDED RUBBER WITH STABILIZER BARS

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
1/2" Rubber/SB	HD2418	24" x 18"	5.7
1/2" Rubber/SB	HD2424	24" x 24"	7.6
1/2" Rubber/SB	HD2430	24" x 30"	9.5
1/2" Rubber/SB	HD2436	24" x 36"	11.4

Any size available upon request, only available in 24" width to have the stabilizer bars.



SIDE BAR GROOVE PATTERN 1/2" THICKNESS




DuraPoly

3/16" POLYPRIME FLAPS

OUR MOST ECONOMICAL POLY FLAP

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
PolyPrime M/S(White)	1652418W	24" x 18"	2.4
PolyPrime M/S(White)	1652424W	24" x 24"	3.2
PolyPrime M/S(White)	1652430W	24" x 30"	4
PolyPrime M/S(White)	1652436W	24" x 36"	4.8
PolyPrime M/S(Black)	1652418B	24" x 18"	2.4
PolyPrime M/S(Black)	1652424B	24" x 24"	3.2
PolyPrime M/S(Black)	1652430B	24" x 30"	4
PolyPrime M/S(Black)	1652436B	24" x 36"	4.8

Any size available upon request.



GROOVE PATTERN 3/16" THICKNESS




DuraPoly

1/4" POLYPRIME FLAPS

MEDIUM-DUTY POLY FLAP

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
PolyPrime/GRS(White)	242418W	24" x 18"	2.6
PolyPrime/GRS(White)	242424W	24" x 24"	3.5
PolyPrime/GRS(White)	242430W	24" x 30"	4.4
PolyPrime/GRS(White)	242436W	24" x 36"	5.3
PolyPrime/GRS(Black)	242418B	24" x 18"	2.6
PolyPrime/GRS(Black)	242424B	24" x 24"	3.5
PolyPrime/GRS(Black)	242430B	24" x 30"	4.4
PolyPrime/GRS(Black)	242436B	24" x 36"	5.3

Any size available upon request.



GRS GROOVE PATTERN 1/4" THICKNESS




DuraPoly

5/16" POLYPRIME FLAPS

MEDIUM-DUTY POLY FLAP WITH STABILIZER BARS

DESCRIPTION	NUMBER	SIZE	WEIGHT/PIECE
PolyPrime/SB(White)	322418W	24" x 18"	3.67
PolyPrime/SB(White)	322424W	24" x 24"	4.9
PolyPrime/SB(White)	322430W	24" x 30"	6.1
PolyPrime/SB(White)	322436W	24" x 36"	7.3
PolyPrime/SB (Black)	322418B	24" x 18"	3.67
PolyPrime/SB (Black)	322424B	24" x 24"	4.9
PolyPrime/SB (Black)	322430B	24" x 30"	6.1
PolyPrime/SB (Black)	322436B	24" x 36"	7.3

Any size available upon request, only available in 24" width to have the stabilizer bars.



SIDE BAR GROOVE PATTERN 5/16" THICKNESS



NACARATO
TRUCK CENTERS

NACARATOTRUCKCENTERS.COM
888-392-8486



Upfitter Flaps

The flap is a universal 12" wide by 20" long flap. The flap is designed to be mounted on the inside of the fender of a vehicle. It can be mounted on the front or rear fenders. The flaps can be customized with custom printing. It comes standard as a 3/16" black poly flap, with a matte finish on the front and back. Other materials, thicknesses, and patterns are available.



PN-1651220BMD

Custom Color Flaps

We stock yellow, blue, and red poly mudflaps other colors are available through special order. They are offered in all three styles, as the regular DuraPoly.



Quarter Fender Flaps

Fender flaps are available in 1/4" and 5/16" DuraRub, and a special thickness of .120" DuraPoly available in white or black. The DuraRub fender flaps do contain the anti-spray grooves, while the DuraPoly has a matte smooth pattern. Either material can be imprinted. DuraGuard offers a universal hole pattern to fit most fenders. Specific hole patterns are available upon request.



Snow Deflectors

Our snow deflectors are a special blended thermoplastic rubber designed for the snow plow industry. The material is available in either .35 and .45 gauge. It can be imprinted with custom logos at any location on the deflector, we also offer the material in blank sheets or rolls. The material is stocked in 8", 9", and 10" tall pieces by various lengths.



DESCRIPTION	NUMBER	SIZE
.35 Material	370896	8" x 96"
.35 Material	3708108	8" x 108"
.35 Material	3708120	8" x 120"
.35 Material	370996	9" x 96"
.35 Material	3709108	9" x 108"
.35 Material	3709120	9" x 120"
.35 Material	371096	10" x 96"
.35 Material	3710108	10" x 108"
.35 Material	3710120	10" x 120"

DESCRIPTION	NUMBER	SIZE
.45 Material	450896	8" x 96"
.45 Material	4508108	8" x 108"
.45 Material	4508120	8" x 120"
.45 Material	450996	9" x 96"
.45 Material	4509108	9" x 108"
.45 Material	4509120	9" x 120"
.45 Material	451096	10" x 96"
.45 Material	4510108	10" x 108"
.45 Material	4510120	10" x 120"

Snow Deflector Mounting Brackets

The snow deflector mounting bracket is made from a non metallic, non corrosive material. It is made for a universal fit up to a 120" plow and can be used on staight or v-plows. The material can be easily drilled or cut for custom installation. The bracket will be offered in two different kits, the mounting kit only and the mounting kit with hardware. The kit is supplied with 5 pieces of material 1/4" thick by 1.5" tall by 24" long. The kit with hardware is supplied with the same 5 pieces of material and 15 nuts and bolts.



PN-1551.524HDH



PN-51.524HD



Rolled Material and Matting

We offer several different rib styles of matting. The gauge of this mat can be from .045 up to .500 depending on your application. It is offered in pre-cut sizes or bulk rolls. It is also available with or without adhesive backing. Please call for information.



PG



EG



DIAMOND



LEVANT



SH




MATTE

PATTERN	DESCRIPTION	MIN. GAUGE	MAX. GAUGE	MAX. WIDTH
PG	Rough Sand Paper Texture	0.045	0.500	60"
Levant	Deep Leather	0.120	0.500	88"
GRS	Shallow V Grooves	0.170	0.500	88"
Matte	Solid Finish	0.045	0.500	88"
EI04	3/16" Spaced Deep Rounded Ribs	0.125	0.500	60"
Smooth	Gloss Finish	0.045	0.500	56"
Diamond	Expanded Diamond	0.160	0.500	78"
EG	1/4" Spaced Rounded Ribs	0.125	0.500	84"
SH	Raised Bars	0.125	0.500	88"

Rubber & Poly Cutting Edges

DuraGuard Inc. is proud to announce their latest addition to the product line designed and developed to help boost your productivity and increase your work efficiency. The DuraGuard Rubber & Poly Cutting Edges are a less costly, rust-free alternative to traditional metal blades. And with the universal mounting feature, our blades can be easily cut and customized to fit any size application.



Rubber Cutting Edges

NUMBER	THICKNESS	WIDTH	LENGTH
15RH0690	1.5"	6"	7.5'
15RH0696	1.5"	6"	8'
15RH06102	1.5"	6"	8.5'
15RH06108	1.5"	6"	9'
15RH06120	1.5"	6"	10'
15RH0890	1.5"	8"	7.5'
15RH0896	1.5"	8"	8'
15RH08102	1.5"	8"	8.5'
15RH08108	1.5"	8"	9'
15RH08120	1.5"	8"	10'
15RH1090	1.5"	10"	7.5'
15RH1096	1.5"	10"	8'
15RH10102	1.5"	10"	8.5'
15RH10108	1.5"	10"	9'
15RH10120	1.5"	10"	10'


Poly Cutting Edges

NUMBER	THICKNESS	WIDTH	LENGTH
15PB0690	1.5"	6"	7.5'
15PB0696	1.5"	6"	8'
15PB06102	1.5"	6"	8.5'
15PB06108	1.5"	6"	9'
15PB06120	1.5"	6"	10'
15PB0890	1.5"	8"	7.5'
15PB0896	1.5"	8"	8'
15PB08102	1.5"	8"	8.5'
15PB08108	1.5"	8"	9'
15PB08120	1.5"	8"	10'
15PB1090	1.5"	10"	7.5'
15PB1096	1.5"	10"	8'
15PB10102	1.5"	10"	8.5'
15PB10108	1.5"	10"	9'
15PB10120	1.5"	10"	10'



Printing Colors

These are the standard colors that are carried in stock, numerous other colors can be color chipped matched or we can match pantone color if available. The printing foil is a heat activated paint carried on a poly foil. The color is melted into the material with extreme heat.



Miscellaneous Information

Standard Block Letters

There is no setup charge for standard block letters. Letter sizes are as follows:

- 2" letter..... 15 per line
- 3" letter..... 11 per line
- 4" letter 9 per line

Lead Times

Lead times for new orders are within 2-3 weeks, repeat orders are within 7 business days.

Guarantee

DuraGuard products are guaranteed to be free from defect in workmanship. DuraGuard is not responsible for alterations or installations of its products, since these products are used in variable conditions.

Logo & Artwork





Logo charges will be quoted when artwork is approved. All custom logos and artwork should be emailed to: artwork@duraguardinc.com.

Custom Options

Radius corners and angle cuts are available upon request. Please contact us for more details.

Sample Printing Plates

Some plates shown below can be used with our block letters for dealership information. Some plates are general purpose plates.



**Quality products
to help you
travel the globe.**



www.duraguardinc.com
1-888-215-6180

115 Transport Drive, Newport, TN 37821 Fax: 1-423-625-0918 info@duraguardinc.com